

5.11

Notice of Allowability	Application No.	Applicant(s)	
	10/052,273	GASS ET AL.	
	Examiner	Art Unit	
	Boyer D. Ashley	3724	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.


1. ☒ This communication is responsive to 5/5/04.
2. ☒ The allowed claim(s) is/are 5-24.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 5/5/04.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|--|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date <u>4/29/04, 4/17/04</u> | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input checked="" type="checkbox"/> Other <u>1449s-3/10/04, 2/4/04</u> |


Boyer D. Ashley
Primary Examiner
Art Unit: 3724

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

It should be noted that upon further consideration and in light of amendments in the instant application as well as copending applications the double patenting rejections have been withdrawn. The examiner believes a special note should be included regarding copending application 10/052,806. These claims appear almost identical except for one limitation. In 10/052,806, the limitation is "a reaction system configured to stop movement of the pivot arm toward the base assembly upon detection by the detection system of the one or more dangerous conditions". The corresponding limitation in 10/052,273 reads, "a reaction system configured to urge the pivot arm away from the base assembly upon detection by the detection system of the one or more dangerous conditions".

In this case, the broader claims in 10/052,806 are anticipated by the more narrow 10/052,273 claims. The limitation "configured to urge the pivot arm away from the base assembly" effectively reads on "configured to stop movement of the pivot arm toward the base assembly", that is, if the pivot arm is urged away from the base assembly then the movement of the pivot arm is also stop from moving toward the base assembly.

However, the reverse is not true. The claims of 10/052,806 do not read on the claims of 10/052,273 because stopping movement of the pivot arm toward the base assembly does not include movement away from the base assembly. Therefore, the instant claims (10/052,273) are currently not rejectable under double patenting with application 10/052,806.


Art Unit: 3724

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Boyer D. Ashley whose telephone number is 703-308-1845. The examiner can normally be reached on Monday-Thursday 7:30-6:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Allan N. Shoap can be reached on 703-308-1082. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Boyer D. Ashley
Primary Examiner
Art Unit 3724

BDA
May 28, 2004